Serial No.: 10/751,826 - 3 - Art Unit: 1644

Conf. No.: 4193

## In the Claims

Please replace all prior versions, and listings, of claims in the application with the following list of claims, in which insertions are indicated by underlining and deletions are indicated by strikeouts or double bracketing.

## 1.-17. (Canceled)

- 18. (Currently amended) A fragment of an An immunoglobulin-or a fragment thereof, that specifically binds an antigen of interest, wherein said immunoglobulin or said fragment thereof emprises consists essentially of a variable region of a heavy polypeptide chain, said variable region being devoid of normal light chain interaction sites.
- 19. (Currently amended) A fragment of an An immunoglobulin or a fragment thereof, that specifically binds an antigen of interest, wherein said immunoglobulin or said fragment thereof comprises at least consists essentially of part of the variable region of a heavy polypeptide chain, said variable region being devoid of normal light chain interaction sites and wherein the immunoglobulin is a heavy-chain immunoglobulin.
- 20. (Previously presented) A fragment of an immunoglobulin according to claim 18, which is the variable region of the heavy chain of said immunoglobulin.
- 21. (Previously presented) A fragment of an immunoglobulin according to claim 19, which is the variable region of the heavy chain of said immunoglobulin.
- 22. (Currently amended) <u>A fragment of an An immunoglobulin-or a fragment thereof</u> according to claim 19, which has a constant region which is devoid of a CH1 domain.
- 23. (Withdrawn) A fragment of an immunoglobulin according to claim 18 which is combined with a fragment of a four-chain immunoglobulin.

Serial No.: 10/751,826 - 4 - Art Unit: 1644

Conf. No.: 4193

24. (Withdrawn) A fragment of an immunoglobulin according to claim 19, which is combined with a fragment of a four-chain immunoglobulin.

- 25. (Previously presented) A fragment of an immunoglobulin according to claim 18, which is expressed in a prokaryotic or in a eukaryotic host cell.
- 26. (Previously presented) A fragment of an immunoglobulin according to claim 19, which is expressed in a prokaryotic or in a eukaryotic host cell.
- 27. (Previously presented) A fragment of an immunoglobulin according to claim 21, which is expressed in a prokaryotic or in a eukaryotic host cell.
- 28. (Withdrawn) A fragment of an immunoglobulin according to claim 19, which comprises at least 10 amino acid residues of the variable region of a heavy polypeptide chain and comprises the residue corresponding to position 45 in the immunoglobulin said residue at position 45 being a charged amino acid residue or a cysteine residue.
- 29. (Withdrawn) A fragment of an immunoglobulin according to claim 28, which is combined with a fragment of a four-chain immunoglobulin.
- 30. (Withdrawn) A modified 4-chain immunoglobulin or a fragment thereof comprising a variable VH region which is modified such that the VH region has been partially replaced by specific sequences or amino acid residues of an immunoglobulin according to claim 19.
- 31. (Currently amended) A fragment of an The immunoglobulin or a fragment thereof according to claim 18 or 19, wherein the immunoglobulin or fragment is suitable for use in in vitro diagnosis.
- 32. (Currently amended) A fragment of an The immunoglobulin or a fragment thereof according to claim 18 or 19, wherein the immunoglobulin or fragment is suitable for use in in vivo diagnosis.

Serial No.: 10/751,826 - 5 - Art Unit: 1644

Conf. No.: 4193

33. (Currently amended) <u>A fragment of an The immunoglobulin or a fragment thereof</u> according to claim 18 or 19, which is labeled with a detectable label.

- 34. (Withdrawn and currently amended) A fragment of an The immunoglobulin-or a fragment thereof according to claim 33, wherein the detectable label is an imaging agent.
- 35. (Currently amended) A fragment of an The immunoglobulin or a fragment thereof according to claim 33, wherein the detectable label is selected from the group consisting of a radioisotope, a chemical marker, an enzymatic marker, or a chemiluminescent marker.
- 36. (Withdrawn and currently amended) A fragment of an An immunoglobulin or a fragment thereof according to claim 18 or 19, which is directed against an immunoglobulin idiotype.

37.-50. (Canceled)

- 51. (Currently amended) A composition comprising <u>a fragment of</u> an immunoglobulin <del>or a fragment thereof</del> that specifically binds to an antigen of interest, wherein said <u>fragment immunoglobulin comprises</u> <u>consists essentially of</u> a variable region of a heavy polypeptide chain, said variable region being devoid of normal light chain interaction sites.
- 52. (Currently amended) A composition comprising <u>a fragment of</u> an immunoglobulin <del>or a fragment thereof</del> that specifically binds to an antigen of interest, wherein said <u>fragment immunoglobulin comprises at least consists essentially of</u> part of the variable region of a heavy polypeptide chain, said variable region being devoid of normal light chain interaction sites and wherein the immunoglobulin is a heavy chain immunoglobulin.
- 53. (Currently amended) The composition according to claim 51 or 52, wherein the immunoglobulin or fragment specifically binds a protein, hapten, carbohydrate or nucleic acid.

Serial No.: 10/751,826 - 6 - Art Unit: 1644

Conf. No.: 4193

54. (Currently amended) The composition according to claim 51 or 52, wherein the immunoglobulin or fragment specifically binds a protein present on tumor cells.

- 55. (Withdrawn and currently amended) The composition according to claim 51 or 52, wherein the immunoglobulin or fragment thereof is combined with a toxin, enzyme, drug, hormone, or cytokine.
- 56. (Withdrawn) The composition according to claim 54, wherein the toxin is mistletoe lectin toxin.
- 57. (Withdrawn and currently amended) The composition according to claim 51 or 52, wherein the immunoglobulin or fragment thereof is bifunctional or multifunctional.
- 58. (Withdrawn and currently amended) The composition according to claims 51 or 52, wherein the immunoglobulin or fragment thereof is heterospecific.
- 59. (Withdrawn and currently amended) The composition according to claim 58, wherein the immunoglobulin or fragment thereof is capable of targeting drugs, hormones or cytokines to cells.
- 60.-63. (Canceled)
- 64. (Withdrawn and currently amended) A method for synthesizing <u>a fragment of</u> an immunoglobulin <del>or a fragment thereof</del> according to any of claims 18-22 comprising (a) selecting a variable region having a determined antigen specificity; and (b) attaching the variable region of step (a) to a constant region.
- 65. (Withdrawn and currently amended) A method according to claim 64, wherein attaching of the variable region to the constant region in step (b) is effected by expressing the immunoglobulin or fragment thereof as a fusion polypeptide.

Serial No.: 10/751,826 - 7 - Art Unit: 1644

Conf. No.: 4193

66. (Withdrawn and currently amended) A nucleic acid molecule encoding an immunoglobulin or fragment thereof according to any of claims 18-22.

- 67. (Withdrawn) A vector comprising nucleic acid according to claim 66.
- 68. (Withdrawn) A host cell transfected with a vector according to claim 67.
- 69. (Withdrawn and currently amended) A method of treating and/or preventing disease in a patient, wherein the method comprises administering to the patient a therapeutically effective amount of an immunoglobulin or fragment thereof according to any of claims 18-22.